



全漢企業股份有限公司

安規證書

料號 :
Model Name : FSP800-50FS, FSP800-20FM, FSP800-29FM, FSP800-20FN, FSP800-29FN
版次 : 0A
文件編號 : SFD-00003388
作者 : doration/田婷璋(FSP)
SFA NO. : SFA24011092
Trade mark : -
安規種類 : CCC(5K+熱帶)/62368
發行日期 : 2024/05/02 14:09:27
備註 : set 證書renew

变 更 结 论 Modification Approval

证书编号 Certificate No. : 2019010907180091

申请编号 Application No. : A2023CCC0907-4256076

申请人 (委托人) Applicant: 全汉企业股份有限公司 / FSP Group Inc.

证书编号 Certificate No.(变更前 Original): 2019010907180091

变更产品名称: 开关电源供应器

Name of Product Modified: Switching Power Supply

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	更新实施细则	CNCA-C09-01: 2014	CNCA-C09-01: 2023
2	删除整机备用型号及对应规格	原报告, 原报告号 (申请号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、 00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907- 3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、 00501-CG2021- 7110 (A2021CCC0907- 3748580)、C- 00401- Z2306QM-005160 (A2023CCC0907-4198006)	本次删除: 型号: FSP800-21FM, FSP800-28FM, FSP800-21FN 型 号: FSP800-20FH, FSP800-21FH (100- 277V~, 10-4.5A, 50-60Hz 或 240Vdc- 336Vdc/3.8A-3.0A)
3	删除工业用器具输入插座	原报告, 原报告号 (申请号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、	本次删除: RF-203、S26-101

第 1 页/共 6 页

签发:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE



中国质量认证中心有限公司
北京市丰台区南四环西路188号九区5号楼 100070


电话: +86 10 83886666
<http://www.cqc.com.cn>

变 更 结 论 Modification Approval

证书编号 Certificate No. : 2019010907180091

		<p>00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907- 3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、 00501-CG2021- 7110 (A2021CCC0907- 3748580)、C- 00401- Z2306QM-005160 (A2023CCC0907-4198006)</p>	
4	增加直流风扇备用型号	<p>原报告, 原报告号 (申请 号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、 00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907- 3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、 00501-CG2021- 7110 (A2021CCC0907- 3748580)、C- 00401- Z2306QM-005160 (A2023CCC0907-4198006)</p>	<p>本次增加: 详见安全关键件清单字体加粗部分</p>
5	变更电容备用型号	<p>原报告, 原报告号 (申请 号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、 00501-CG2019- 7786 (A2019CCC0907- 3222366)、无</p>	<p>变更为: 详见安全关键件清单字体加粗部分</p>

第 2 页/共 6 页

签发: 



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司
北京市丰台区南四环西路188号九区5号楼 100070


电话: +86 10 83886666
<http://www.cqc.com.cn>

变 更 结 论 Modification Approval

证书编号 Certificate No. : 2019010907180091

		报告 (A2019CCC0907-3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、00501-CG2021- 7110 (A2021CCC0907- 3748580)、C-00401- Z2306QM-005160 (A2023CCC0907-4198006)	
6	变更压敏电阻	原报告, 原报告号 (申请 号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907-3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、00501-CG2021- 7110 (A2021CCC0907- 3748580)、C-00401- Z2306QM-005160 (A2023CCC0907-4198006)	变更为: 详见安全关键件清单字体加粗部分
7	增加泄放电阻备用型号	原报告, 原报告号 (申请 号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907-3330935)、00501-CG2021- 1534	本次增加: 详见安全关键件清单字体加粗部分

第 3 页 / 共 6 页

签发: 



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司
北京市丰台区南四环西路188号九区5号楼 100070


电话: +86 10 83886666
<http://www.cqc.com.cn>

变 更 结 论 Modification Approval

证书编号 Certificate No. : 2019010907180091

		(A2021CCC0907- 3671162)、 00501-CG2021- 7110 (A2021CCC0907- 3748580)、C- 00401- Z2306QM-005160 (A2023CCC0907-4198006)	
8	变更绝缘垫片备用型号	原报告, 原报告号(申请号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、 00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907- 3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、 00501-CG2021- 7110 (A2021CCC0907- 3748580)、C- 00401- Z2306QM-005160 (A2023CCC0907-4198006)	变更为: 详见安全关键件清单字体加粗部分
9	增加备用 M 板	原报告, 原报告号(申请号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、 00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907- 3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、 00501-CG2021- 7110	本次增加: 详见安全照片页面 29

第 4 页/共 6 页

签发: 



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司
北京市丰台区南四环西路188号九区5号楼 100070


电话: +86 10 83886666
<http://www.cqc.com.cn>

变 更 结 论 Modification Approval

证书编号 Certificate No. : 2019010907180091

		(A2021CCC0907- 3748580)、C-00401- Z2306QM-005160 (A2023CCC0907-4198006)	
10	新增外观样式	原报告, 原报告号(申请号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、 00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907- 3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、 00501-CG2021- 7110 (A2021CCC0907- 3748580)、C- 00401- Z2306QM-005160 (A2023CCC0907-4198006)	本次增加: 详见安全照片页图 28 (与原外观差异: -拆 卸前侧面靠近 入口的手柄和插销 -将 LED 位置从 “在前的金属底盘”更改 为“带电线 的外部 LED”)
11	增加开关管备用规格 (Q102, Q103),(Q113), (Q114, Q122)电流规格 增大	原报告, 原报告号(申请号): 00501-CG2019-3506 (A2019CCC0907- 3137768)、 00501-CG2019- 7786 (A2019CCC0907- 3222366)、无 报告 (A2019CCC0907- 3330935)、00501-CG2021- 1534 (A2021CCC0907- 3671162)、 00501-CG2021- 7110 (A2021CCC0907- 3748580)、C- 00401- Z2306QM-005160	本次增加: 详见安全关键件清单字 体加粗部分

第 5 页 / 共 6 页

签发: 



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司
北京市丰台区南四环西路188号九区5号楼 100070

电话: +86 10 83886666
<http://www.cqc.com.cn>

变更结论 Modification Approval


证书编号 Certificate No. : 2019010907180091

		(A2023CCC0907-4198006)	
12	延长证书有效日期	见原证书	见新证书

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期 (Date) : 2024 年 03 月 20 日



第 6 页/共 6 页

签发：谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司
北京市丰台区南四环西路188号九区5号楼 100070

电话：+86 10 83886666
<http://www.cqc.com.cn>



中国国家强制性产品认证证书

证书编号：2019010907180091

认证委托人名称及地址
全汉企业股份有限公司
台湾桃园市桃园区建国东路 22 号

生产者名称及地址
全汉企业股份有限公司
台湾桃园市桃园区建国东路 22 号

生产企业名称及地址
深圳辉力电子有限公司
深圳市宝安区新安街道布心社区 73 区流塘路 352 号辉力厂 C4 栋 101 至 301、C5-C11 栋

产品名称和系列、型号、规格
开关电源供应器
见附件（不带电线组件销售，仅适用于海拔 5000 米及以下）

产品标准和技术要求
GB 17625.1-2022(A 类);GB 4943.1-2022;GB/T 9254.1-2021(A 级)
上述产品符合《强制性产品认证实施规则 电子产品及安全附件》
(CNCA-C09-01:2023) 的要求，特发此证。

发证日期：2024 年 03 月 20 日 有效期至：2029 年 03 月 19 日

本证书为变更证书，证书首次颁发日期：2019 年 04 月 28 日
证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站（www.cnca.gov.cn）查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



<http://www.cqc.com.cn>

北京市丰台区南四环西路188号九区5号楼 100070

电话：+86 10 83886666



中国国家强制性产品认证证书

证书编号：2019010907180091

证书附页：第 1 页 共 1 页

型号	交流输入	直流输出
FSP800-20FM, FSP800-29FM, FSP800-20FN, FSP800-29FN,	100-240VAC, 10-5A, 50-60Hz 或240Vdc.4.0A	+12Vdc/65.0A, +12Vsb/2.1A,最大 输出功率+12V=780W, +12Vsb=25.2W; 总输出功率不可持续超过800W
产品销售时不带电线组件，仅适用于海拔5000米及以下		

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司

<http://www.cqc.com.cn>

北京市丰台区南四环西路188号九区5号楼 100070

电话：+86 10 83886666

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2019010907180091

NAME AND ADDRESS OF THE APPLICANT

FSP Group Inc.
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan,China

NAME AND ADDRESS OF THE MANUFACTURER

FSP Group Inc.
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan,China

NAME AND LOCATION OF THE FACTORY

ShenZhen HuiLi Electronics CO.,LTD
Building C4 (101~301) -C11, No. 352, LiuTang Rd., County 73, Bu'Xin Village, Xin'an, Bao'an,
Shenzhen, Guangdong, China

PRODUCT NAME,MODEL AND SPECIFICATION

Switching Power Supply
See appendix (Sale without cord set, Altitude up to 5000m)

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022(Class A);GB 4943.1-2022;GB/T 9254.1-2021(Class A)
This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

Valid from: Mar.20,2024 **Valid until:** Mar.19,2029
Date of original issued: Apr.28,2019

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE: 谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



<http://www.cqc.com.cn> Building 5, Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China Tel: +86 10 83886666

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation




CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2019010907180091

Appendix: Page 1 of 1

型号	交流输入	直流输出
FSP800-20FM, FSP800-29FM, FSP800-20FN, FSP800-29FN,	100-240VAC, 10-5A, 50-60Hz 或240Vdc.4.0A	+12Vdc/65.0A, +12Vsb/2.1A,最大 输出功率+12V=780W, +12Vsb=25.2W; 总输出功率不可持续超过800W
产品销售时不带电线组件，仅适用于海拔5000米及以下		



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.

<http://www.cqc.com.cn>

Building 5, Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666



中国国家强制性产品认证证书

证书编号：2019010907185439

认证委托人名称及地址
全汉企业股份有限公司
台湾桃园市桃园区建国东路 22 号

生产者名称及地址
全汉企业股份有限公司
台湾桃园市桃园区建国东路 22 号

生产企业名称及地址
深圳辉力电子有限公司
深圳市宝安区新安街道布心社区 73 区流塘路 352 号辉力厂 C4 栋 101 至 301、C5-C11 栋

产品名称和系列、型号、规格
开关电源供应器

FSP800-50FS 输入：100-240Vac, 10-5A, 50-60Hz 或 240Vdc. 4.0A ; 直流输出：
+3.3V/25.0A; +5V/25.0A; +12V/65A; +5Vsb/4.5A; -12V/0.3A 最大输出功率+3.3V&+5V=160W;
+5Vsb=22.5W ; +12V&+3.3V&+5V=780W 总输出功率不可持续超过 800W (不带电线组件销售，仅适用于海拔 5000 米及以下)

产品标准和技术要求

GB 17625.1-2022 (A 类) ; GB 4943.1-2022; GB/T 9254.1-2021

上述产品符合《强制性产品认证实施规则 电子产品及安全附件》
(CNCA-C09-01:2023) 的要求，特发此证。

发证日期：2024 年 04 月 17 日 有效期至：2029 年 04 月 16 日

本证书为变更证书，证书首次颁发日期：2019 年 05 月 16 日
证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站 (www.cnca.gov.cn) 查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



<http://www.cqc.com.cn>

北京市丰台区南四环西路188号九区5号楼 100070

电话：+86 10 83886666

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2019010907185439

NAME AND ADDRESS OF THE APPLICANT

FSP Group Inc.
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

NAME AND ADDRESS OF THE MANUFACTURER

FSP Group Inc.
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

NAME AND LOCATION OF THE FACTORY

ShenZhen HuiLi Electronics CO.,LTD
Building C4-C11, No. 352, LiuTang Rd., County 73, Bu'Xin Village, Xin'an, Bao'an, Shenzhen,
Guangdong, China

PRODUCT NAME,MODEL AND SPECIFICATION

Switching Power Supply

FSP800-50FS 输入：100-240Vac, 10-5A, 50-60Hz 或 240Vdc.4.0A； 直流输出：+3.3V/25.0A; +5V/25.0A;
+12V/65A; +5Vsb/4.5A; -12V/0.3A 最大输出功率+3.3V&+5V=160W; +5Vsb=22.5W; +12V&+3.3V&+5V=780W
总输出功率不可持续超过 800W(不带电线组件销售，仅适用于海拔 5000 米及以下)

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022 (Class A) ;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

Valid from: Apr.17,2024

Valid until: Apr.16,2029

Date of original issued: May.16,2019

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



<http://www.cqc.com.cn>

Building 5, Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86 10 83886666